ELSEVIER

General Subjects

Vol. 1425, 1998

BIOCHIMICA ET BIOPHYSICA ACTA

BBA

Cumulative Contents

Information for Contributors vii

Regular papers

Structural changes of IgG induced by heat treatment and by adsorption onto a hydrophobic Teflon surface studied by circular dichroism spectroscopy
A.W.P. Vermeer, M.G.E.G. Bremer and W. Norde (The Netherlands) 1

Presence of heterogeneous peroxisomal populations in the rat nervous tissue
A.M. Cimini, I. Singh, S. Farioli-Vecchioli, L. Cristiano and M.P. Cerú (Italy, USA) 13

Nitric oxide-induced oxidation of 5,6-dihydroxyindole and 5,6-dihydroxyindole-2-carboxylic acid under aerobic conditions: non-enzymatic route to melanin pigments of potential relevance to skin (photo)protection
L. Novellino, M. d'Ischia and G. Prota (Italy) 27

Interactions between prostasomes and leukocytes
G. Arienti, E. Carlini, C. Saccardi and C.A. Palmerini (Italy) 36

Flavin-containing monooxygenase mediated metabolism of benzydamine in perfused brain and liver
A. Kawaji, M. Isobe, Y. Tochino, E. Takabatake, Y. Chikaoka, Y. Nomura and M. Tamura (Japan) 41

HTHQ (1-*O*-hexyl-2,3,5-trimethylhydroquinone), an anti-lipid-peroxidative compound: its chemical and biochemical characterizations
T. Hino, S. Kawanishi, H. Yasui, S. Oka and H. Sakurai (Japan) 47

Exclusion and retention of compensatory kosmotropes by HPLC columns
M. Lever (New Zealand) 61

Exclusion and retention of compensatory kosmotropes by HPLC columns
M. Lever (New Zealand) 61

Cytotoxicity of pilosulin 1, a peptide from the venom of the jumper ant *Myrmecia pilosula*
Q.-x. Wu, M.A. King, G.R. Donovan, D. Alewood, P. Alewood, W.H. Sawyer and B.A. Baldo (Australia) 74

Designed β-sheet-forming peptide 33mers with potent human bactericidal/permeability increasing protein-like bactericidal and endotoxin neutralizing activities
K.H. Mayo, J. Haseman, E. Ilyina and B. Gray (USA) 81

De novo synthesis of arginine and ornithine from citrulline in human colon carcinoma cells: metabolic fate of L-ornithine
M. Selamnia, V. Robert, C. Mayeur, S. Delpal and F. Blachier (France) 93

Sensitivity of chondrocytes of growing cartilage to reactive oxygen species
E. Fragonas, P. Pollesello, V. Mlinárik, R. Toffanin, C. Grando, C. Godeas and F. Vittur (Finland, Italy, Slovakia) 103

Inhibitory effects in vitro of *S*-[2-carboxy-1-(1*H*-imidazol-4-yl)ethyl]-glutathione, a proposed metabolite of L-histidine, on γ-glutamyltransferase activity
H. Shimizu and M. Kinuta (Japan) 112

Manipulation of herpes simplex virus type 1 by dielectrophoresis
M.P. Hughes, H. Morgan, F.J. Rixon, J.P.H. Burt and R. Pethig (UK) 119

Dehydration-induced conformational changes of poly-L-lysine as influenced by drying rate and carbohydrates
W.F. Wolkers, M.G. van Kilsdonk and F.A. Hoekstra (Netherlands) 127

Quantitative studies of the non-productive binding of lysozyme to partially *N*-acetylated chitosans
A. Kristiansen, K.M. Vårum and H. Grasdalen (Norway) 137

Impairment by hexoses of the utilization of maltose by *Saccharomyces cerevisiae*
C.F. Heredia (Spain) 151

Hydroxyl radical formation via iron-mediated Fenton chemistry is inhibited by methylated catechols
A.J. Nappi and E. Vass (USA) 159

Diffusion of nitric oxide and scavenging by blood in the vasculature
A.R. Butler, I.L. Megson and P.G. Wright (UK) 168

Purification and characterization of trehalose phosphorylase from the commercial mushroom *Agaricus bisporus*
W.J.B. Wannet, H.J.M. Op den Camp, H.W. Wisselink, C. van der Drift, L.J.L.D. Van Griensven and G.D. Vogels (Netherlands) 177

Nitric oxide donor-induced hyperpermeability of cultured intestinal epithelial monolayers: role of superoxide radical, hydroxyl radical, and peroxynitrite
M.J. Menconi, N. Unno, M. Smith, D.E. Aguirre and M.P. Fink (USA) 189

Expression of $\beta_{1,4}$-galactosyltransferase in the development of mouse brain
D. Zhou, C. Chen, S. Jiang, Z. Shen, Z. Chi and J. Gu (PR China) 204

Degradation of dehydroascorbate to 2,3-diketogulonate in blood circulation
I. Koshiishi, Y. Mamura, J. Liu and T. Imanari (Japan) 209

Vicia villosa B_4 lectin inhibits nucleotide pyrophosphatase activity toward UDP-GalNAc specifically
A. Takeya, O. Hosomi and T. Kogure (Japan) 215

Cytosolic pH regulation in perfused rat liver: role of intracellular bicarbonate production
G. Vidal, T. Durand, P. Canioni and J.-L. Gallis (France) 224

Protein inactivation in amorphous sucrose and trehalose matrices: effects of phase separation and crystallization
W.Q. Sun and P. Davidson (Singapore) 235

Protein stability in the amorphous carbohydrate matrix: relevance to anhydrobiosis
W.Q. Sun, P. Davidson and H.S.O. Chan (Singapore) 245

The involvement of *mnn4* and *mnn6* mutations in mannosylphosphorylation of *O*-linked oligosaccharide in yeast *Saccharomyces cerevisiae*
K.-i. Nakayama, Y. Feng, A. Tanaka and Y. Jigami (Japan) 255

Fluorescent analogs of NAADP with calcium mobilizing activity
H.C. Lee and R. Aarhus (USA) 263

Information for Contributors *vii*

Regular papers

In vitro assessment of salvage pathways for pyrimidine bases in rat liver and brain
M. Cappiello, L. Mascia, C. Scolozzi, F. Giorgelli and P.L. Ipata (Italy) 273

Interleukin-1 induced nitric oxide inhibits sulphation of glycosaminoglycan chains in human articular chondrocytes
M.S. Hickery and M.T. Bayliss (UK) 282

Expression of biological activity of draculin, the anticoagulant factor from vampire bat saliva, is strictly dependent on the appropriate glycosylation of the native molecule
A.Z. Fernandez, A. Tablante, F. Bartoli, S. Beguin, H.C. Hemker and R. Apitz-Castro (The Netherlands, Venezuela) 291

Characterization of a novel exo-*N*-acetyl-β-D-glucosaminidase from the thermotolerant *Bacillus* sp. NCIM 5120
B. Amutha, J.M. Khire and M.I. Khan (India) 300

Nystatin-induced changes in yeast monitored by time-resolved automated single cell electrorotation
R. Hölzel (Germany) 311

Amino terminal glycation of gastric inhibitory polypeptide enhances its insulinotropic action on clonal pancreatic B-cells
F.P.M. O'Harte, Y.H.A. Abdel-Wahab, J.M. Conlon and P.R. Flatt (UK, USA) 319

In vitro study of alcohol dehydrogenase and acetaldehyde dehydrogenase encapsulated into human erythrocytes by an electroporation procedure
C. Lizano, S. Sanz, J. Luque and M. Pinilla (Spain) 328

Differential effect on polyamine metabolism in mitogen- and superantigen-activated human T-cells
B. Langkamp-Henken, L.R. Johnson, M.J. Viar, A.M. Geller and M. Kotb (USA) 337

Production and characterization of a bivalent single chain Fv/alkaline phosphatase conjugate specific for the hemocyanin of the scorpion *Androctonus australis*
M. Mousli, M. Goyffon and P. Billiald (France) 348

Biological characterization of a novel mammalian antimicrobial peptide
R. Gennaro, M. Scocchi, L. Merluzzi and M. Zanetti (Italy) 361

Production of prostanoids via increased cyclo-oxygenase-2 expression in human amnion cells in response to low molecular weight hyaluronic acid fragment
H. Kobayashi, G.W. Sun and T. Terao (Japan) 369

The role of isochorismate hydroxymutase genes *entC* and *menF* in enterobactin and menaquinone biosynthesis in *Escherichia coli*
C. Dahm, R. Müller, G. Schulte, K. Schmidt and E. Leistner (Germany) 377

Stability of water-soluble and lipid-soluble paramagnetic probes in *Bacillus subtilis*
K. Jung, S. Ristori, E. Gallori and G. Martini (Italy) 387

Inhibitory effect of phloridzin and phloretin on glucuronidation of *p*-nitrophenol, acetaminophen and 1-naphthol: kinetic demonstration of the influence of glucuronidation metabolism on intestinal absorption in rats
T. Mizuma and S. Awazu (Japan) 398

Dynamics of the *Lens culinaris* agglutinin-lactotransferrin and serotransferrin complexes, followed by fluorescence intensity quenching of fluorescein (FITC) with iodide and temperature
J.R. Albani (France) 405

Restoration of rat liver L-threonine dehydratase activity by pyridoxamine 5′-phosphate: the half-transaminating activity of L-threonine dehydratase and its regulatory role
R. Leoncini, D. Vannoni, M.C. Di Pietro, R. Guerranti, F. Rosi, R. Pagani and E. Marinello (Italy) 411

A new tool for studying the molecular architecture of the fungal cell wall: one-step purification of recombinant *Trichoderma* β-(1-6)-glucanase expressed in *Pichia pastoris*
I.J. Bom, S.K. Dielbandhoesing, K.N. Harvey, S.J.C.M. Oomes, F.M. Klis and S. Brul (The Netherlands, UK) 419

Physico-chemical and antigenic properties of tetanus and diphtheria toxoids and steps towards improved stability
P. Johansen, H.P. Merkle and B. Gander (Switzerland) 425

Cloning, characterization and expression of β-*N*-acetylglucosaminidase gene from *Streptomyces thermoviolaceus* OPC-520
H. Tsujibo, N. Hatano, T. Mikami, Y. Izumizawa, K. Miyamoto and Y. Inamori (Japan) 437

Stable expression of human α-2,6-sialyltransferase in Chinese hamster ovary cells: functional consequences for human erythropoietin expression and bioactivity
X. Zhang, S.H.L. Lok and O.L. Kon (Singapore) 441

Spatiotemporal dynamics of clotting and pattern formation in human blood
F.I. Ataullakhanov, G.T. Guria, V.I. Sarbash and R.I. Volkova (Russia) 453

Scavenging of reactive oxygen species by melatonin
L.-Y. Zang, G. Cosma, H. Gardner and V. Vallyathan (USA) 469

Short sequence-paper

Immunochemical detection of N^2-[1-(1-carboxy)ethyl]-guanosine, an advanced glycation end product formed by the reaction of DNA and reducing sugars or L-ascorbic acid in vitro
W. Seidel and M. Pischetsrieder (Germany) 478

Information for Contributors *vii*

Regular papers

Identification of 7-dehydrocholesterol, vitamin D_3, 25(OH)-vitamin D_3 and 1,25$(OH)_2$-vitamin D_3 in *Solanum glaucophyllum* cultures grown in absence of light
A. Curino, M. Skliar and R. Boland (Argentina) 485

A new short chain RGD-containing disintegrin, accutin, inhibits the common pathway of human platelet aggregation
C.-H. Yeh, H.-C. Peng, J.-B. Yih and T.-F. Huang (Taiwan) 493

Re-expression of differentiated proteoglycan phenotype by dedifferentiated human chondrocytes during culture in alginate beads
H. Liu, Y.-W. Lee and M.F. Dean (UK) 505

Mechanistic study on the roles of a bifidogenetic growth stimulator based on physicochemical characterization
S.-i. Yamazaki, K. Kano, T. Ikeda, K. Isawa and T. Kaneko (Japan) 516

Identification of an enzymatically formed glutathione conjugate of the cyanobacterial hepatotoxin microcystin-LR: the first step of detoxication
S. Pflugmacher, C. Wiegand, A. Oberemm, K.A. Beattie, E. Krause, G.A. Codd and C.E.W. Steinberg (Germany, UK) 527

Oxidation of the flavonol fisetin by polyphenol oxidase
M. Jiménez, J. Escribano-Cebrián and F. Garcia-Carmona (Spain) 534

Expression and tissue distribution of the mRNAs encoding the human thromboxane A_2 receptor (TP) α and β isoforms
S.M. Miggin and B.T. Kinsella (Ireland) 543

Disaccharides permeases: constituents of xylanolytic and mannanolytic systems of *Aureobasidium pullulans*
K. Lubomír and B. Peter (Slovak Republic) 560

Insulin-like growth factor binding protein-5 proteolytic activity in ovine articular chondrocyte culture
D. Sunic, J.D. McNeil, D.L. Andress and D.A. Belford (Australia, USA) 567

Effects of thyroid hormone on the sorbitol pathway in streptozotocin-induced diabetic rats
R. Shinohara, T. Mano, A. Nagasaka, Y. Sawai, K. Uchimura, R. Hayashi, N. Hayakawa, M. Nagata, M. Makino, H. Kakizawa, Y. Itoh, A. Nakai and M. Itoh (Japan) 577

Oligosaccharides of recombinant mouse gelatinase B variants
P. Van den Steen, P.M. Rudd, P. Proost, E. Martens, L. Paemen, B. Küster, J. van Damme, R.A. Dwek and G. Opdenakker (Belgium, UK) 587

Detection of *O*-mannosyl glycans in rabbit skeletal muscle α-dystroglycan
T. Sasaki, H. Yamada, K. Matsumura, T. Shimizu, A. Kobata and T. Endo (Japan, USA) 599

Dynamics of clot growth induced by thrombin diffusing into nonstirred citrate human plasma
E.I. Sinauridze, R.I. Volkova, Y.V. Krasotkina, V.I. Sarbash and F.I. Ataullakhanov (Russia) 607

Regulation of the activity of secreted human lung mast cell tryptase by mast cell proteoglycans
K.A. Lindstedt, J.O. Kokkonen and P.T. Kovanen (Finland) 617

Rapid report

Epitope mapping of monoclonal antibodies against 4-aminobenzoate hydroxylase from *Agaricus bisporus*
H. Tsuji, M. Kimoto, H. Watanabe, T. Sasagawa, T. Oka, H. Yamashita and M. Okita (Japan) 628

Short sequence-paper

EXG1p, a novel exo-β1,3-glucanase from the fungus *Cochliobolus carbonum*, contains a repeated motif present in other proteins that interact with polysaccharides
A.N. Nikolskaya, J.W. Pitkin, H.J. Schaeffer, J.-H. Ahn and J.D. Walton (USA) 632

Cumulative Contents, Vol. 1425 637

Author Index 641